

## Test Certificate 73927 - 2

**Report Details** 

**Report Number** 73927 - 2 **Date Submitted** 21-Mar-19 **Date Issued** 04-Jun-19

Service Requested BS 5852 Part 1: 1979 - Schedule 4 Part 1 & Schedule 5 Part 1 + Water Soak

**Customer Details** 

**Company Name** MODELLI FABRICS

Company Address STAYTHORPE HOUSE, LOUGHBON **Customer Contact** 

ORSTON, NOTTS NG13 9NJ

**Customer Ref/PO** P22797-2981 FR

**Sample Details** As supplied by the customer

Sample Description **PASSIONE** 

> PIECE NO: AN231522 **AUDIT NO: D14500**

**Fibre Composition** 100% POLYESTER

Quality/Batch Ref **PASSIONE / S181237** 

Colour **DEEP SPACE PURPLE** 

Sample End Use

**Model Ref** Manufacturer

Supplier / Buyer

### **Specification:**

Schedule 4 Part 1 (The Cigarette test) and Schedule 5 Part 1 (The Match test) of The Furniture Furnishings (Fire) (Safety) Regulations 1988 (as amended). S.I. 1324.

#### **Test Methods:**

BS 5852 Part 1: 1979 (Modified) - Methods of test for the ignitibility by smokers' materials of upholstered composites for seating.

#### **Conditioning:**

The sample was conditioned for 72 hrs in ambient conditions then for at least 24 hrs in a specified atmosphere at 20 ± 5°C and 50 ± 20% relative humidity.

#### **Pre-Treatment:**

Water soak procedure in accordance with BS 5651: 1978 - Clause 4 (as amended by The Furniture and Furnishings (Fire) (Safety) Regulations 1988

Please note: The test results issued on this certificate refer only to the item tested and therefore does not relate to the lot or batch of the product / sample. This test certificate shall not be duplicated.







## Test Certificate 73927 - 2

#### **Test Results**

The Following test results relate only to the ignitibility of the combination of the materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

Test Type	Schedule 4 Part 1	Initial Test	Repeat Test
Filling Material Used:		VP45 20-22Kg/m³	VP45 20-22Kg/m³
Smouldering Duration [mm:s	s]:	<60.0	<60.0
Progressive smouldering and the placement of the cigarett	or flaming observed within one hour of e:		
Evidence of melting:			
Evidence of charring:		•	•
Evidence of dripping:			
Cover Split			
Forcibly Extinguished			
Test Result		PASS	PASS
Test Type	Schedule 5 Part 1	Initial Test	Repeat Test
Test Type Filling Material Used:	Schedule 5 Part 1	Initial Test VP45 20-22Kg/m³	Repeat Test VP45 20-22Kg/m³
• •			·
Filling Material Used:  Smouldering / Flaming / Glov		VP45 20-22Kg/m³	VP45 20-22Kg/m³
Filling Material Used:  Smouldering / Flaming / Glov  Progressive smouldering obse	ving Duration [mm:ss]:	VP45 20-22Kg/m³	VP45 20-22Kg/m³
Filling Material Used:  Smouldering / Flaming / Glov  Progressive smouldering obsetthe flame:	ving Duration [mm:ss]:	VP45 20-22Kg/m³  0.01	0.00
Filling Material Used:  Smouldering / Flaming / Glov  Progressive smouldering obsethe flame:  Evidence of melting:	ving Duration [mm:ss]:	VP45 20-22Kg/m³  0.01  ✓	VP45 20-22Kg/m³  0.00  ✓
Filling Material Used:  Smouldering / Flaming / Glov  Progressive smouldering obsethe flame:  Evidence of melting:  Evidence of charring:  Evidence of dripping:	ving Duration [mm:ss]:	VP45 20-22Kg/m³  0.01  ✓	VP45 20-22Kg/m³  0.00  ✓
Filling Material Used:  Smouldering / Flaming / Glove Progressive smouldering obsetthe flame: Evidence of melting: Evidence of charring: Evidence of dripping: Flaming continued for more to	ving Duration [mm:ss]: erved within one hour after the removal of	VP45 20-22Kg/m³  0.01  ✓	VP45 20-22Kg/m³  0.00  ✓

Please note: The test results issued on this certificate refer only to the item tested and therefore does not relate to the lot or batch of the product / sample. This test certificate shall not be duplicated.





# Test Certificate 73927 - 2

**Overall Result: PASS** 

The sample supplied meets the UK Furniture and Furnishing (Fire)(Safety) Regulations 1988 (amended 1989, 1993, 2010) S.I.1324

Authorised Signature:

**Zeb Alam** 

**Operations Director** 

Please note: The test results issued on this certificate refer only to the item tested and therefore does not relate to the lot or batch of the product / sample. This test certificate shall not be duplicated.

