## lFS Laboratories

Report Details							
Report Number	77022 - 2	Date Submitted	22-Aug-19	Date Issued	30-Aug-19		
Service Requested	BS 5852 Part 1: 1979 - Schedu	ile 4 Part 1 & Schedu	e 5 Part 1 + Wat	er Soak			
Customer Details							
Company Name	MODELLI FABRICS						
Customer Contact		Compa	ny Address STA	YTHORPE HOUSE			
Customer Ref/PO	3210 FR		ORS	STON TTS NG13 9NJ			
Sample Details As supplied by the customer							
Sample Description	RETRO						
	PIECE NO: 10093982 AUDIT NO: D14737						
Fibre Composition	100% POLYESTER						
Quality/Batch Ref	RETRO / 1818258						
Colour	WUTHERING HEIGHTS						
Sample End Use							
Model Ref			Manufacturer				
			Supplier / Buyer				

Test Certificate 77022 - 2

### **Specification:**

Schedule 4 Part 1 (The Cigarette test) and Schedule 5 Part 1 (The Match test) of The Furniture Furnishings (Fire) (Safety) Regulations 1988 (as amended). S.I. 1324.

### **Test Methods:**

BS 5852 Part 1: 1979 (Modified) – Methods of test for the ignitibility by smokers' materials of upholstered composites for seating.

### **Conditioning:**

The sample was conditioned for 72 hrs in ambient conditions then for at least 24 hrs in a specified atmosphere at 20 ± 5°C and 50 ± 20% relative humidity.

### **Pre-Treatment:**

Water soak procedure in accordance with BS 5651: 1978 - Clause 4 (as amended by The Furniture and Furnishings (Fire) (Safety) Regulations 1988

Please note: The test results issued on this certificate refer only to the item tested and therefore does not relate to the lot or batch of the product / sample. This test certificate shall not be duplicated.

T: 0161 5050 650 E: technical@ifs-labs.com A: Textile Innovation House, 1 Lyons Road, Trafford Park, Manchester, M17 1RN Copyright IFS Laboratories Limited



# **& IFS Laboratories**

## Test Certificate 77022 - 2

## **Test Results**

The Following test results relate only to the ignitibility of the combination of the materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

Test Type	Schedule 4 Part 1	Initial Test	Repeat Test		
Filling Material Used:		VP45 20-22Kg/m³	VP45 20-22Kg/m³		
Smouldering Duration [mm:ss]:		<60.0	<60.0	<60.0	
Progressive smouldering the placement of the cig	; and/or flaming observed within one hour of arette:				
Evidence of melting:		✓	✓		
Evidence of charring:					
Evidence of dripping:					
Cover Split					
Forcibly Extinguished					
Test Result		PASS	PASS		
Test Type	Schedule 5 Part 1	Initial Test	Repeat Test		
Filling Material Used:		VP45 20-22Kg/m³	VP45 20-22Kg/m <sup>3</sup>		
Smouldering / Flaming /	Glowing Duration [mm:ss]:	0.00	0.00		
Progressive smouldering observed within one hour after the removal of the flame:					
Evidence of melting:		$\checkmark$	$\checkmark$		
Evidence of charring:		$\checkmark$	$\checkmark$		
Evidence of dripping:					
Flaming continued for more then 120 seconds after the removal of the burner:					
Forcibly Extinguished					
Test Result		PASS	PASS		

Please note: The test results issued on this certificate refer only to the item tested and therefore does not relate to the lot or batch of the product / sample. This test certificate shall not be duplicated.

T: 0161 5050 650 E: technical@ifs-labs.com A: Textile Innovation House, 1 Lyons Road, Trafford Park, Manchester, M17 1RN Copyright IFS Laboratories Limited



Page 2 of 3

# **& IFS Laboratories**

## Test Certificate 77022 - 2

## **Overall Result: PASS**

The sample supplied meets the UK Furniture and Furnishing (Fire)(Safety) Regulations 1988 (amended 1989, 1993, 2010) S.I.1324

Authorised Signature:

Zeb Alam Operations Director

Please note: The test results issued on this certificate refer only to the item tested and therefore does not relate to the lot or batch of the product / sample. This test certificate shall not be duplicated.

T: 0161 5050 650 E: technical@ifs-labs.com A: Textile Innovation House, 1 Lyons Road, Trafford Park, Manchester, M17 1RN Copyright IFS Laboratories Limited



Page 3 of 3